



2112
TRW

Attorney's Docket: 008312-0279136
Client Reference: T4KM-00S1177-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Confirmation Number: 5592

KONDA ET AL.

Application No.: 09/809,034

Group Art Unit: 2112

Filed: March 16, 2001

Examiner: C. KNOLL

For: DEVICE CONTROL SYSTEM, DEVICE CONTROL APPARATUS, AND DEVICE
CONTROL METHOD ON NETWORK

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT/RESPONSE TRANSMITTAL

Transmitted herewith is an amendment/response for this application.

FEES

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDIT. FEE
TOTAL	16	- 20	= 0	x \$ 50.00	= \$ 0.00
INDEP.	4	- 7	= 0	x \$ 200.00	= \$ 0.00
FIRST PRESENTATION OF MULTIPLE DEP. CLAIM			+	\$ 360.00	= \$ 0.00
TOTAL ADDITIONAL CLAIM FEE					\$ 0.00
GRAND TOTAL					\$ 0.00


FEE PAYMENT

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above.

Date: **June 27, 2005**

PILLSBURY WINTHROP SHAW PITTMAN LLP
P.O. Box 10500
McLean, VA 22102
703.905.2097


CHRISTOPHE F. LAIR
Reg. No. 54248



Attorney Docket: 008312-0279136
Client Reference: T4KM-00S1177-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Confirmation Number: 5592

KONDA ET AL.

Application No.: 09/809,034

Group Art Unit: 2112

Filed: March 16, 2001

Examiner: KNOLL, CLIFFORD H

Title: DEVICE CONTROL SYSTEM, DEVICE CONTROL APPARATUS, AND DEVICE
CONTROL METHOD ON NETWORK

June 27, 2005

* * * * *

AMENDMENT UNDER 37 C.F.R. §1.111

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
Alexandria, VA 22314

Sir:

In response to the Office Action dated March 28, 2005, the date for response to which
is June 28, 2005, please amend the above-identified application as follows: